

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼／受理編號：(No.) CI311069980163號A2
Certificate No./Application No.

商品標籤及商品檢驗標識：(Picture)
Product Label and Commodity Inspection Mark.

樣張及其標示位置：(Description and Picture)
Sample and its location

設備名稱： 電源供應器， Equipment name		型號（型式）：PA1060-120IB500，詳如附表 Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
上蓋	○	○	○	○	○	○
下蓋	○	○	○	○	○	○
插頭 PIN 腳	—	○	○	○	○	○
電路板(含 元件)	—	○	○	○	○	○
DC 線	○	○	○	○	○	○
初級內部 AC 線	○	○	○	○	○	○
變壓器	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “—”係指該項限用物質為排除項目。
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需，依商品檢驗法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities.

此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人：廣恆科技股份有限公司

Applicant

負責人：簡敏弘 (簽章)

Person in charge

(Signature)

中華民國 106 年 08 月 11 日

附表：系列型號清單

序號	型號	序號	型號	序號	型號
1	PA1040-050IB700	41	PA1040-160IB250	81	PA1050-193IB259
2	PA1040-053IB660	42	PA1040-180IB222	82	PA1050-195IB256
3	PA1040-055IB636	43	PA1040-185IB216	83	PA1050-198IB252
4	PA1040-060IB583	44	PA1040-190IB210	84	PA1050-200IB250
5	PA1040-065IB538	45	PA1040-210IB190	85	PA1050-203IB246
6	PA1040-070IB500	46	PA1040-240IB166	86	PA1050-205IB243
7	PA1040-075IB466	47	PA1050-090IB500	87	PA1050-208IB240
8	PA1040-080IB437	48	PA1050-105IB428	88	PA1050-210IB238
9	PA1040-085IB411	49	PA1050-119IB378	89	PA1050-213IB234
10	PA1040-089IB393	50	PA1050-240IB200	90	PA1050-215IB232
11	PA1040-270IB148	51	PA1050-120IB416	91	PA1050-218IB229
12	PA1040-330IB121	52	PA1050-123IB406	92	PA1050-220IB227
13	PA1040-360IB111	53	PA1050-125IB400	93	PA1050-223IB224
14	PA1050-270IB185	54	PA1050-128IB390	94	PA1050-225IB222
15	PA1050-330IB151	55	PA1050-130IB384	95	PA1050-228IB219
16	PA1050-360IB138	56	PA1050-133IB375	96	PA1050-230IB217
17	PA1060-270IB222	57	PA1050-134IB373	97	PA1050-233IB214
18	PA1060-330IB181	58	PA1050-135IB370	98	PA1050-235IB212
19	PA1060-360IB166	59	PA1050-138IB362	99	PA1050-238IB210
20	PA1040-480IB080	60	PA1050-140IB357	100	PA1050-239IB209
21	PA1040-480IB083	61	PA1050-143IB349	101	PA1050-240IB208
22	PA1040-500IB080	62	PA1050-145IB344	102	PA1060-120IB500
23	PA1040-560IB071	63	PA1050-148IB337	103	PA1060-123IB488
24	PA1040-570IB070	64	PA1050-150IB333	104	PA1060-125IB480
25	PA1050-480IB104	65	PA1050-153IB326	105	PA1060-128IB469
26	PA1050-500IB100	66	PA1050-155IB322	106	PA1060-130IB462
27	PA1050-560IB089	67	PA1050-158IB316	107	PA1060-133IB451
28	PA1050-570IB087	68	PA1050-160IB312	108	PA1060-134IB447
29	PA1060-480IB125	69	PA1050-163IB306	109	PA1060-135IB444
30	PA1060-500IB120	70	PA1050-165IB303	110	PA1060-138IB435
31	PA1060-560IB107	71	PA1050-168IB297	111	PA1060-140IB429
32	PA1060-570IB105	72	PA1050-170IB294	112	PA1060-143IB419
33	PA1050-120IB200	73	PA1050-173IB289	113	PA1060-143IB420
34	PA1040-090IB444	74	PA1050-175IB285	114	PA1060-145IB414
35	PA1040-105IB381	75	PA1050-178IB280	115	PA1060-148IB405
36	PA1040-120IB330	76	PA1050-180IB277	116	PA1060-150IB400
37	PA1040-120IB333	77	PA1050-183IB273	117	PA1060-153IB392
38	PA1040-134IB298	78	PA1050-185IB270	118	PA1060-155IB387
39	PA1040-143IB279	79	PA1050-188IB265	119	PA1060-158IB380
40	PA1040-150IB266	80	PA1050-190IB263	120	PA1060-160IB375

序號	型號
121	PA1060-163IB368
122	PA1060-165IB364
123	PA1060-168IB357
124	PA1060-170IB353
125	PA1060-173IB347
126	PA1060-175IB343
127	PA1060-178IB337
128	PA1060-180IB333
129	PA1060-183IB328
130	PA1060-185IB324
131	PA1060-188IB319
132	PA1060-190IB315
133	PA1060-190IB316

序號	型號
134	PA1060-193IB311
135	PA1060-195IB308
136	PA1060-198IB303
137	PA1060-200IB300
138	PA1060-203IB296
139	PA1060-205IB293
140	PA1060-208IB288
141	PA1060-210IB285
142	PA1060-210IB286
143	PA1060-213IB282
144	PA1060-215IB279
145	PA1060-218IB275
146	PA1060-220IB273

序號	型號
147	PA1060-223IB269
148	PA1060-225IB267
149	PA1060-228IB263
150	PA1060-230IB261
151	PA1060-233IB258
152	PA1060-235IB255
153	PA1060-238IB252
154	PA1060-239IB251
155	PA1060-240IB250

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼／受理編號：(No.) CI316069980318號A1
Certificate No./Application No.

商品標籤及商品檢驗標識：(Picture)
Product Label and Commodity Inspection Mark.

樣張及其標示位置：(Description and Picture)
Sample and its location

設備名稱： 電源供應器， Equipment name		型號（型式）：PA1040-050T1A600，詳如附表 Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
上蓋	○	○	○	○	○	○
下蓋	○	○	○	○	○	○
插頭 PIN 腳	—	○	○	○	○	○
電路板(含 元件)	—	○	○	○	○	○
Inlet AC 插座	—	○	○	○	○	○
AC 電源線插腳	—	○	○	○	○	○
DC 線	○	○	○	○	○	○
初級內部 AC 線	○	○	○	○	○	○
變壓器	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “—”係指該項限用物質為排除項目。
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需，依商
品檢驗法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities.

此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人： 廣恆科技股份有限公司
Applicant

負責人： 簡敏弘 (簽章)
Person in charge (Signature)

中華民國 106 年 08 月 11 日

附表：系列型號清單

序號	型號	序號	型號	序號	型號
1)	PA1040-050T1A600	41)	PA1050-143T1A350	81)	PA1060-150T1A400
2)	PA1040-050T3A600	42)	PA1050-143T3A350	82)	PA1060-150T3A400
3)	PA1040-050T1A700	43)	PA1050-150T1A300	83)	PA1060-160T1A375
4)	PA1040-050T3A700	44)	PA1050-150T3A300	84)	PA1060-160T3A375
5)	PA1040-075T1A466	45)	PA1050-150T1A333	85)	PA1060-180T1A333
6)	PA1040-075T3A466	46)	PA1050-150T3A333	86)	PA1060-180T3A333
7)	PA1040-090T1A444	47)	PA1050-160T1A300	87)	PA1060-190T1A316
8)	PA1040-090T3A444	48)	PA1050-160T3A300	88)	PA1060-190T3A316
9)	PA1040-120T1A330	49)	PA1050-160T1A313	89)	PA1060-200T1A300
10)	PA1040-120T3A330	50)	PA1050-160T3A313	90)	PA1060-200T3A300
11)	PA1040-120T1A333	51)	PA1050-170T1A294	91)	PA1060-210T1A286
12)	PA1040-120T3A333	52)	PA1050-170T3A294	92)	PA1060-210T3A286
13)	PA1040-150T1A266	53)	PA1050-180T1A250	93)	PA1060-220T1A273
14)	PA1040-150T3A266	54)	PA1050-180T3A250	94)	PA1060-220T3A273
15)	PA1040-160T1A250	55)	PA1050-180T1A278	95)	PA1060-230T1A261
16)	PA1040-160T3A250	56)	PA1050-180T3A278	96)	PA1060-230T3A261
17)	PA1040-180T1A222	57)	PA1050-190T1A237	97)	PA1060-240T1A250
18)	PA1040-180T3A222	58)	PA1050-190T3A237	98)	PA1060-240T3A250
19)	PA1040-190T1A210	59)	PA1050-190T1A263	99)	PA1040-360T1A111
20)	PA1040-190T3A210	60)	PA1050-190T3A263	100)	PA1040-360T3A111
21)	PA1040-240T1A166	61)	PA1050-200T1A225	101)	PA1050-360T1A138
22)	PA1040-240T3A166	62)	PA1050-200T3A225	102)	PA1050-360T3A138
23)	PA1050-090T1A500	63)	PA1050-200T1A250	103)	PA1060-360T1A166
24)	PA1050-090T3A500	64)	PA1050-200T3A250	104)	PA1060-360T3A166
25)	PA1050-105T1A428	65)	PA1050-210T1A238	105)	PA1040-480T1A080
26)	PA1050-105T3A428	66)	PA1050-210T3A238	106)	PA1040-480T3A080
27)	PA1050-120T1A200	67)	PA1050-220T1A227	107)	PA1040-480T1A083
28)	PA1050-120T3A200	68)	PA1050-220T3A227	108)	PA1040-480T3A083
29)	PA1050-120T1A375	69)	PA1050-230T1A217	109)	PA1040-560T1A071
30)	PA1050-120T3A375	70)	PA1050-230T3A217	110)	PA1040-560T3A071
31)	PA1050-120T1A417	71)	PA1050-240T1A208	111)	PA1040-570T1A070
32)	PA1050-120T3A417	72)	PA1050-240T3A208	112)	PA1040-570T3A070
33)	PA1050-130T1A385	73)	PA1050-240T1A200	113)	PA1050-480T1A104
34)	PA1050-130T3A385	74)	PA1050-240T3A200	114)	PA1050-480T3A104
35)	PA1050-136T1A331	75)	PA1060-120T1A500	115)	PA1050-500T1A100
36)	PA1050-136T3A331	76)	PA1060-120T3A500	116)	PA1050-500T3A100
37)	PA1050-136T1A368	77)	PA1060-136T1A441	117)	PA1050-560T1A089
38)	PA1050-136T3A368	78)	PA1060-136T3A441	118)	PA1050-560T3A089
39)	PA1050-143T1A315	79)	PA1060-143T1A420	119)	PA1050-570T1A087
40)	PA1050-143T3A315	80)	PA1060-143T3A420	120)	PA1050-570T3A087

序號	型號
121)	PA1060-480T1A125
122)	PA1060-480T3A125
123)	PA1060-500T1A120
124)	PA1060-500T3A120
125)	PA1060-560T1A107
126)	PA1060-560T3A107
127)	PA1060-570T1A105
128)	PA1060-570T3A105

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼／受理編號：(No.) CI314069980255號A1
Certificate No./Application No.

商品標籤及商品檢驗標識：(Picture)
Product Label and Commodity Inspection Mark.

樣張及其標示位置：(Description and Picture)
Sample and its location

設備名稱：電源供應器， Equipment name		型號（型式）：PA1050-120T2B200，詳如附表 Type designation (Type)				
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛Lead (Pb)	汞Mercury (Hg)	鎘Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
上蓋	○	○	○	○	○	○
下蓋	○	○	○	○	○	○
插頭 PIN 腳	—	○	○	○	○	○
電路板(含 元件)	—	○	○	○	○	○
Inlet AC 插座	—	○	○	○	○	○
AC 電源線插腳	—	○	○	○	○	○
DC 線	○	○	○	○	○	○
初級內部 AC 線	○	○	○	○	○	○
變壓器	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。
Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。
Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. “—”係指該項限用物質為排除項目。
Note 3: The “—” indicates that the restricted substance corresponds to the exemption.

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局。並同意配合貴局執行後市場管理作業所需，依商品檢驗法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as the Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities.

此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人：廣恆科技股份有限公司

Applicant

負責人：簡敏弘 (簽章)

Person in charge

(Signature)

中華民國 106 年 09 月 04 日

附表：系列型號清單

序號	型號	序號	型號	序號	型號
1)	PA1050-120T2B200	36)	PA1050-205T2B243	71)	PA1060-165T2B363
2)	PA1050-120T2B416	37)	PA1050-208T2B240	72)	PA1060-168T2B357
3)	PA1050-123T2B406	38)	PA1050-210T2B238	73)	PA1060-170T2B352
4)	PA1050-125T2B400	39)	PA1050-213T2B234	74)	PA1060-173T2B346
5)	PA1050-128T2B390	40)	PA1050-215T2B232	75)	PA1060-175T2B342
6)	PA1050-130T2B384	41)	PA1050-218T2B229	76)	PA1060-178T2B337
7)	PA1050-133T2B375	42)	PA1050-220T2B227	77)	PA1060-180T2B333
8)	PA1050-135T2B370	43)	PA1050-223T2B224	78)	PA1060-183T2B327
9)	PA1050-138T2B362	44)	PA1050-225T2B222	79)	PA1060-185T2B324
10)	PA1050-140T2B357	45)	PA1050-228T2B219	80)	PA1060-188T2B319
11)	PA1050-143T2B349	46)	PA1050-230T2B217	81)	PA1060-190T2B315
12)	PA1050-145T2B344	47)	PA1050-233T2B214	82)	PA1060-193T2B310
13)	PA1050-148T2B337	48)	PA1050-235T2B212	83)	PA1060-195T2B307
14)	PA1050-150T2B333	49)	PA1050-238T2B210	84)	PA1060-198T2B303
15)	PA1050-153T2B326	50)	PA1050-239T2B209	85)	PA1060-200T2B300
16)	PA1050-155T2B322	51)	PA1050-240T2B200	86)	PA1060-203T2B295
17)	PA1050-158T2B316	52)	PA1050-240T2B208	87)	PA1060-205T2B292
18)	PA1050-160T2B312	53)	PA1060-120T2B500	88)	PA1060-208T2B288
19)	PA1050-163T2B306	54)	PA1060-123T2B487	89)	PA1060-210T2B285
20)	PA1050-165T2B303	55)	PA1060-125T2B480	90)	PA1060-213T2B281
21)	PA1050-168T2B297	56)	PA1060-128T2B468	91)	PA1060-215T2B279
22)	PA1050-170T2B294	57)	PA1060-130T2B461	92)	PA1060-218T2B275
23)	PA1050-173T2B289	58)	PA1060-133T2B451	93)	PA1060-220T2B272
24)	PA1050-175T2B285	59)	PA1060-135T2B444	94)	PA1060-223T2B269
25)	PA1050-178T2B280	60)	PA1060-138T2B434	95)	PA1060-225T2B266
26)	PA1050-180T2B277	61)	PA1060-140T2B428	96)	PA1060-228T2B263
27)	PA1050-183T2B273	62)	PA1060-143T2B419	97)	PA1060-230T2B260
28)	PA1050-185T2B270	63)	PA1060-145T2B413	98)	PA1060-233T2B257
29)	PA1050-188T2B265	64)	PA1060-148T2B405	99)	PA1060-235T2B255
30)	PA1050-190T2B263	65)	PA1060-150T2B400	100)	PA1060-238T2B252
31)	PA1050-193T2B259	66)	PA1060-153T2B392	101)	PA1060-239T2B251
32)	PA1050-195T2B256	67)	PA1060-155T2B387	102)	PA1060-240T2B250
33)	PA1050-198T2B252	68)	PA1060-158T2B379	103)	PA1060-240T2B271
34)	PA1050-200T2B250	69)	PA1060-160T2B375		
35)	PA1050-203T2B246	70)	PA1060-163T2B368		